

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	feinleib.in. and greeting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:26
S2	0	feinleib.in. and greeting and API	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:25
S3	397	API and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:26
S4	119	API and "725"/\$.ccls. and url	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:26
S5	29	API and "725"/\$.ccls. and listener	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:28
S6	119	API and "725"/\$.ccls. and url	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:28
S7	62	API and "725"/\$.ccls. and url and synchron\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:38
S8	270	API and "725"/\$.ccls. and (enhanc\$3 synchron\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:38
S9	42	API and "725"/109,110,112.ccls. and (enhanc\$3 synchron\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:44
S10	68	API and "725"/109,110,112.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:45
S11	26	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:55

S12	384	719/328.ccls. and video	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:55
S13	68	719/328.ccls. and video and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:59
S14	272	719/328.ccls. and video and API	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:59
S15	49	719/328.ccls. and video and API and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 20:59
S16	246	719/328.ccls. and video and API and (server provider distribut\$3 broadcast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 21:00
S17	49	719/328.ccls. and video and API and (broadcast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 10:49
S18	1	"20020174430".pn. and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:20
S19	376	718/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:20
S20	38	718/1.ccls. and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:20
S21	229	(access near3 point\$3) same API	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:54
S22	54	(access near3 point\$3) same API and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:58

S23	2656	(access near3 point\$3) and API and (buffer\$3 stor\$3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:59
S24	709	API and (buffer\$3 stor\$3 memory) same (access near2 point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:59
S25	408	API and (buffer\$3 stor\$3 memory) same (access near2 point\$3) and (video or television or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 12:00
S26	395	API and (buffer\$3 stor\$3 memory) same (access near2 point\$3) and (video or television or movie) and (broadcast\$3 or server distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 12:00
S27	191	S26 and ("709"/\$.ccls. or 711/6.ccls. or "717"/\$.ccls. or "715"/\$.ccls. or "718"/\$.cccls. or "719"/\$.cccls. or "725"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 12:02
S28	87	S27 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:32
S29	488	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:32
S30	289	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:32
S31	144	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1 and (broadcast video)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:33
S32	141	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1 and (broadcast video) and (stor\$3 sav\$3 buffer\$3 cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:33
S33	122	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1 and ((broadcast video) and (stor\$3 sav\$3 buffer\$3 cach\$3) with (process\$3 access\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:44

S34	28	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (API\$1 same application same (stor\$3 sav\$3 buffer\$3 cach\$3) with (process\$3 access\$3)) and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 18:52
S35	28	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (API\$1 same application same (stor\$3 sav\$3 buffer\$3 cach\$3) with (process\$3 access\$3)) and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:11
S36	108	719/328.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (API\$1 and application and (stor\$3 sav\$3 buffer\$3 cach\$3) with (process\$3 access\$3)) and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 19:59
S37	24085	(notif\$3 or alert\$3) with (complet\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 19:59
S38	531	(notif\$3 or alert\$3) with ((complet\$3 or available) near3 (program or movie))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:04
S39	64	(notif\$3 or alert\$3) with ((complet\$3 or available) near3 (program or movie)) with (download\$3 or record\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:04
S40	6	(notif\$3 or alert\$3) with ((complet\$3 or available) near3 (program or movie)) with (download\$3 or record\$3) and (API\$1 or (application near4 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:08
S41	4	(notif\$3 or alert\$3) with ((complet\$3 or available) near3 (program or movie)) with (API\$1 or (application near4 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:09
S42	142	(notif\$3 or alert\$3) with ((complet\$3 or available) near3 (program or movie)) and (API\$1 or (application near4 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:10
S43	694	(notif\$3 or alert\$3) with ((complet\$3 or available) with (application)) and (API\$1 or (application near4 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:10
S44	629	(notif\$3 or alert\$3) with ((complet\$3 or available) with (application)) and (API\$1 or (application near4 interface\$1)) and (movie program)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:10

S45	104	(notif\$3 or alert\$3) with ((complet\$3 or available) same (movie program) same (application)) and (API\$1 or (application near3 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/09 20:11
S46	58	S45 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:31
S47	0	719/318,328,310 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (register callback port listen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:53
S48	0	719/318,328,310 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:32
S49	726	719/318,328,310.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (register callback port listen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:32
S50	476	719/318,328,310.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (register callback port listen\$3) and (API\$1 (application\$1 near3 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:33
S51	227	719/318,328,310.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (register callback port listen\$3) and (API\$1 (application\$1 near3 interface\$1)) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:33
S52	55	719/318,328,310.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (listen\$3) and (API\$1 (application\$1 near3 interface\$1)) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:37
S53	15	719/318,328,310.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and (listen\$3 same (API\$1 (application\$1 near3 interface\$1))) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:52
S54	340	(listen\$3 same (API\$1 (application\$1 near3 interface\$1))) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 12:53
S55	67	(listen\$3 same (API\$1 (application\$1 near3 interface\$1)) same availab\$5) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 13:03

S56	34	S55 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 13:04
S57	646	((call\$1back register\$3 port\$1 listen\$3) same (API\$1 (application\$1 near3 interface\$1)) same availab\$5) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 13:04
S58	347	S57 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 13:05
S59	48	((call\$1back register\$3 port\$1 listen\$3) same (API\$1 (application\$1 near3 interface\$1)) same availab\$5) same (notif\$6) and (video tv television)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 13:04
S60	25	S59 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 18:56
S61	436	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) with length and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 18:57
S62	10	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) with length with time with segment\$4 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 18:58
S63	6	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) with length with time and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and 'United video properties'.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:02
S64	26	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) same length same time and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and 'United video properties'.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:03
S65	0	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) same length same time and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and 'United video properties'.as. and API	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:03
S66	31	((program near2 (guide or schedul\$3 or list\$4) IPG or epg) same length same time and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:03

S67	31	((program near2 (guide or schedul\$3 or list\$4) IPG or epg)) same length same time and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:08
S68	1051	((program near2 (guide or schedul\$3 or list\$4) IPG or epg))and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:08
S69	204	((program near2 (guide or schedul\$3 or list\$4) IPG or epg))and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1 and ("725"/\$.ccls. or "719"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:09
S70	98	((program near2 (guide or schedul\$3 or list\$4) IPG or epg))and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1 and ("725"/\$.ccls. or "719"/\$.ccls.) and time and length	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:21
S71	2	725/39.ccls. and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210") and API\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 19:22
S72	1	"United video properties".as. and API\$1 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 20:23
S73	1	"5991520".pn. and resynchroniz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/10 20:24